


StarTech.com 2-port PCI Express RS232 Serial Adapter Card - PCIe RS232 Serial Host Controller Card - PCIe to Dual Serial DB9 Card - 16950 UART - Expansion Card - Windows & Linux



Brand : StarTech.com

Product code: PEX2S953

Product name : 2-port PCI Express RS232 Serial Adapter Card
- PCIe RS232 Serial Host Controller Card - PCIe to Dual Serial DB9 Card - 16950 UART - Expansion Card - Windows & Linux

StarTech.com 2-port PCI Express RS232 Serial Adapter Card - PCIe RS232 Serial Host Controller Card - PCIe to Dual Serial DB9 Card - 16950 UART - Expansion Card - Windows & Linux (PEX2S953)
StarTech.com 2-port PCI Express RS232 Serial Adapter Card - PCIe RS232 Serial Host Controller Card - PCIe to Dual Serial DB9 Card - 16950 UART - Expansion Card - Windows & Linux. Host interface: PCIe, Output interface: Serial, Expansion card standard: PCIe 1.1. Product colour: Green, Mean time between failures (MTBF): 222366 h. Chipset: Asix AX99100, Baud rate: 921.6 Kbit/s, FIFO (First In, First Out): 256 B. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Server operating systems supported: Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows.... Width: 63 mm, Depth: 75 mm, Height: 15 mm



Ports & interfaces		System requirements	
Host interface *	PCIe	Linux operating systems supported	✓
Output interface *	Serial	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Expansion card standard	PCIe 1.1		
Serial ports quantity	2		
Serial interface type	RS-232		
Design		Technical details	
Internal *	✓	Sustainability compliance	✓
Product colour	Green	Compliance certificates	CE, RoHS
Mean time between failures (MTBF)	222366 h	Weight & dimensions	
Features		Width	63 mm
Chipset	Asix AX99100	Depth	75 mm
Baud rate	921.6 Kbit/s	Height	15 mm
FIFO (First In, First Out)	256 B	Weight	56 g
Data bits	5, 6, 7, 8, 9	Packaging data	
Stop bits	1, 1.5, 2	Quantity	1
Parity bit	Even, Mark, No, Odd, Space	Quick installation guide	✓
Flow Control type	No, RTS/CTS, XON/XOFF	Package width	170 mm
Operational conditions		Package depth	142 mm
Operating temperature (T-T)	-10 - 80 °C	Package height	30 mm
Storage temperature (T-T)	-20 - 100 °C	Package weight	136 g
Operating relative humidity (H-H)	5 - 85%	Logistics data	
		Harmonized System (HS) code	84733020
		Products per master (outer) case	75 pc(s)
		Master (outer) case width	685 mm
		Master (outer) case length	345 mm
		Master (outer) case height	306 mm

System requirements

Windows operating systems supported

Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64



0065030888332



065030888332

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.